



***The UHF RFID antenna cable is a coaxial cable for extending the existing antenna cable, with SMA male on one end and SMA female on the other end.***

This 902MHz cable is made with 50ohm impedance RG58 wire. It is a coaxial cable for extending the existing antenna cable, with SMA male on one end and SMA female on the other end. The cable is standard polarity SMA and can be built into any length as required.

Frequency range	902 to 928MHz
Multi-detection	Yes
Maximum read quantity	20tags/s
Transponder compatibility	ISO18000-6B, EPC Class 1 Gen 1, EPC UHF Gen 2 and ISO18000-6C
Length	6m available as stock item (customizable)
Operating temperature	0°C to 60°C
Storage temperature	-20°C to 70°C
Humidity	90% relative





**GAO RFID Inc.**

**A Member of GAO Group**

*Celebrating Over 15 Year of Innovation*

*Product Overview*

**902MHz RFID Antenna Cable (346002)**



## **GAO Group**

[GAORFID.com](http://GAORFID.com)

[GAOTek.com](http://GAOTek.com)

[GAORFIDAssetTracking.com](http://GAORFIDAssetTracking.com)

[GAOComm.com](http://GAOComm.com)

[GAOInstruments.com](http://GAOInstruments.com)

[GAOFiberOptics.com](http://GAOFiberOptics.com)

[GAOEmbedded.com](http://GAOEmbedded.com)

[GAOResearch.com](http://GAOResearch.com)

Toll Free (USA & Canada)

**1-877-585-9555**

All Other Areas

**416-292-0038**

Dial Ext.601 for Sales  
Ext.602 for Other Inquiries

China: 86-519-80691090  
86-519-80691089

[sales@GAORFID.com](mailto:sales@GAORFID.com)