



***This passive UHF RFID thin-card tag suits for any application where small form factor with longer distance read capability is required.***

Frequency	860 to 960MHz
Type	Contactless read/write
Integrated circuit (IC)	Phillip Ucode 1.19
Capacity	96bit EPC ID
Data coding type	EPC Class 1 Gen 2
Tested read range	Max. 2m write, 3.5m read (reader dependant)
Multi-detection	Yes
Substrate material	ABS
Color	White
Compliance	Phillip Ucode Gen 2, Impinj Monza 96
Operating temperature	-10°C to 60°C
Dimensions	40mm × 30mm × 1.0mm
Weight	2g





**GAO RFID Inc.**

**A Member of GAO Group**

*Celebrating Over 15 Year of Innovation*

*Product Overview*

**Passive UHF Gen 2 Mini RFID Tag (116305)**



## **GAO Group**

*Celebrating Over 15 Years of Innovation*

[GAORFID.com](http://GAORFID.com)

[GAOTek.com](http://GAOTek.com)

[GAORFIDAssetTracking.com](http://GAORFIDAssetTracking.com)

[GAOComm.com](http://GAOComm.com)

[GAOInstruments.com](http://GAOInstruments.com)

[GAOFiberOptics.com](http://GAOFiberOptics.com)

[GAOEmbedded.com](http://GAOEmbedded.com)

[GAOResearch.com](http://GAOResearch.com)

Toll Free (USA & Canada)

**1-877-585-9555**

All Other Areas

**416-292-0038**

Dial Ext.601 for Sales  
Ext.602 for Other Inquiries

China: 86-519-80691090  
86-519-80691089

[sales@GAORFID.com](mailto:sales@GAORFID.com)